



## DECORATIVE CONCRETE

- ▶ Decorative and durable stamped or stained concrete solutions from Euclid Chemical, designed to replicate the natural patterns and textures found in nature.

# Increte Decorative Concrete From Euclid Chemical

---

Increte Decorative Concrete solutions replicate the textures and patterns found in nature with incredible realism – at a fraction of the cost.

Available in a wide array of patterns replicating granite, slate, stone, brick and even wood - as well as boasting a myriad of standard colours - Increte Systems' materials challenge the eye to tell the difference between an Increte slate, granite, or stone application and the real thing.

What's more, Increte can be installed at a fraction of the cost of conventional materials, all the while offering superior durability and requiring less maintenance.

With a broad range of patterns and colours to choose from, the possibilities are endless whether you are blending with surrounding landscape elements or creating a unique, one-of-a-kind appearance.

By applying special texture and colouring effects to concrete surfaces, patterns come to life with realistic colour and texture variations, while creative and complex designs bring interest to otherwise bland concrete. Sealers are available that not only intensify the colour but increase protection against weather and wear.

---

## Application Suitability



Vertical Applications



Horizontal Applications



Leisure & Retail



Basements & Garages



Driveways & Patios



Pool Decks



Greater Hartford Jaycees  
COMMUNITY  
BOATHOUSE

STONE-CRETE ARCHITECTURAL WALL SYSTEMS

Private &  
Invited Guest  
Only

To find out more information regarding available patterns and textures, contact your local Technical Department.

### Color Hardener

Ready-to-use dry-shake surface hardener for colouring and hardening freshly poured concrete.

Quantity: 25 kg Coverage: 3–5 kg/m<sup>2</sup>

### Color Release

Stamp-tool release agents that enhance colour and easily free stamping tools from new concrete.

Quantity: 10 kg Coverage: 0.12–0.20 kg/m<sup>2</sup>

### Release Cleaner

A colourless, odourless cleaner for stamped concrete.

Quantity: 20 L Coverage: 9–10 m<sup>2</sup>/L (diluted with water)

### Clear Seal F1

A first coat sealer designed to penetrate well into porous surfaces and greatly improve the adhesion between concrete surfaces and sealer coats.

Quantity: 20 L Coverage: 4–5 m<sup>2</sup>/L

### Clear Seal 50

A clear, non-yellowing formula that offers durability, UV stability and protection of concrete surfaces.

Quantity: 20 L Coverage: 4–5 m<sup>2</sup>/L

## Stamped Concrete



A textured, stamped concrete finish that replicates the look of natural materials at a fraction of the cost.

Comprised of a hardener, colour release and seal coat, Increte Stamped Concrete transforms grey, standard concrete with nearly unlimited colour variations.



Recreates the look of natural slate, stone, granite, brick and wood



Easy to maintain in exterior or interior applications



A wide range of standard and custom colours, patterns, textures available

### Standard Colours

Vista Grey	Light Grey	Bluestone	Oyster Grey	Dark Oyster Grey	Slate Green	Black
Sandstone	Buff	Golden Cream	Coffee	Olive	Peach	Earth
Terracotta	Pumpkin	Tile Red	Marigold	Cisco Red	Red Orange	Nutmeg
Olive Brown	Cinnamon	Coco Brown	Birch Brown	Chestnut Brown	Fawn Brown	Chocolate Brown

The applied colours may differ from the examples shown. For a full colour chart and samples, contact your local Flowcrete office.



## Standard Colours



Sandstone



Autumn Brown



Terra Cotta



Saltillo



Silver Gray



Sun Gray

The applied colours may differ from the examples shown. For a full colour chart and samples, contact your local Flowcrete office.

## Renovate

(<3 mm)



EUCLID CHEMICAL

A two-component, polymer modified cementitious micro coating that refreshes tired, worn and weathered concrete surfaces.

Renovate is either rolled or pump sprayed and can be integrally coloured using complimentary colour packs.



Retains original texture of stamped concrete



Provides clients with an easy to clean and maintain surface



Delivers a tough, durable and load bearing surface

## Transformation


BEFORE



DURING



AFTER



To find out more information regarding available patterns and textures, contact your local Technical Department.

### Formshield Pure

An oil-based, low VOC, concrete form release.

Quantity: 18.9 L Coverage: 460–920 m<sup>2</sup>/unit

### Stone Essence

A water-based stain that creates rich variegated colours. An alternative to acid stains.

Quantity: 0.9 L Coverage: 4.4–6.6 m<sup>2</sup>/unit

### Everclear M

A clear, non-yellowing, acrylic formula that will protect and enhance the appearance of concrete.

Quantity: 20 L Coverage: 146–196 m<sup>2</sup>/unit



EUCLID CHEMICAL

## Stone-Crete

An architectural-wall system that is cast in-situ to deliver the beauty of stone with the strength and versatility of concrete.

Stone-Crete is an ideal choice for foundations and retaining walls, highway sound barriers and subdivision entryways.



Provides clients with colour and design versatility



Speedy installation compared with natural materials



Lasting durability and low maintenance with no delamination

### Locally Available Patterns



12" Split Faced Granite



Ashlar Cut Stone

### Standard Colours



Red Rock



Spanish Gold



Mission Tan



Walnut



Storm Gray



Rich Earth


The applied colours may differ from the examples shown. For a full colour chart and samples, contact your local Flowcrete office.



## Standard Colours



Sun Buff



Autumn Brown



Terra Cotta



Saltillo



Silver Gray



Sun Gray



Desert Tan

The applied colours may differ from the examples shown. For a full colour chart and samples, contact your local Flowcrete office.

## Texture-Crete



A textured, patterned surface that covers dull, but structurally sound concrete without the need to replace.

Texture-Crete is sprayed onto concrete over a stencil pattern to create unlimited possibilities, that are as durable as they are attractive.



Provides clients with colour and design versatility



Beautifully textured, non-slip surface



Lasting durability and low maintenance

\*Varies by colour.

## Grease-A-Way

Concentrated cleaner and degreaser designed to dissolve dirt, grease and oil stains from concrete and masonry surfaces.

Quantity: 3.8 L / 18.9 L

Coverage: 139 m<sup>2</sup>/unit / 696 m<sup>2</sup>/unit

## Flex-Con

An acrylic latex bonding admixture for cementitious overlays that increases bond strength and durability.

Quantity: 20 L Coverage: 56–74 m<sup>2</sup>/unit

## Single Component Spray Deck Grout

A polymer-modified cementitious coating used to cover cement surfaces.

Quantity: 22.7 kg Coverage: 6.96–13.9 m<sup>2</sup>/unit

## Liquid Dispersion

UV stable liquid colourant for any cement-based product.

Quantity: 0.9 L Coverage: 37–3,716 m<sup>2</sup>/unit\*

## Everclear M

A clear protective sealer that deepens concrete colour.

Quantity: 20 L Coverage: 146–196 m<sup>2</sup>/unit

To find out more information regarding available patterns and textures, contact your local Technical Department.

## Grease-A-Way

Concentrated cleaner and degreaser designed to dissolve dirt, grease and oil stains from concrete and masonry surfaces.

Quantity: 3.8 L / 18.9 L

Coverage: 139 m<sup>2</sup>/unit / 696 m<sup>2</sup>/unit

## Flex-Con

An acrylic latex bonding admixture for cementitious overlays that increases bond strength and durability.

Quantity: 20 L Coverage: 56–74 m<sup>2</sup>/unit

## Single Component Spray Deck Grout

A polymer-modified cementitious coating used to cover cement surfaces.

Quantity: 22.7 kg Coverage: 6.96–13.9 m<sup>2</sup>/unit

## Liquid Disperson

UV stable liquid colourant for any cement-based product.

Quantity: 0.9 L Coverage: 37–3,716 m<sup>2</sup>/unit\*

## Everclear M

A clear protective sealer that deepens concrete colour.

Quantity: 20 L Coverage: 146–196 m<sup>2</sup>/unit

\*Varies by colour.



EUCLID CHEMICAL

# Spray-Deck

A spray-on overlayment that delivers the look of brand new concrete, with a durable and easy to maintain finish.

Spray-Deck is resistant to abrasion and perfect for high traffic areas where a decorative finish is desired over structurally sound existing concrete.



Resistant to changing weather conditions



Highly textured surface for safety underfoot



Comprises a sealed finish to avoid staining

## Standard Colours



Sun Buff



Autumn Brown



Terra Cotta



Saltillo



Silver Gray




Sun Gray




Desert Tan

The applied colours may differ from the examples shown. For a full colour chart and samples, contact your local Flowcrete office.







## Standard Colours



Red Rock



Spanish Gold



Mission Tan



Walnut



Storm Gray



Rich Earth

The applied colours may differ from the examples shown. For a full colour chart and samples, contact your local Flowcrete office.

## Stone Essence



A concentrated, water-based colouring system that transforms indoor or outdoor concrete.

Applied correctly, Stone Essence will not chip, peel, crack or fade over time and because it is odourless, it is the perfect alternative to acid stains.

### Application Suitability

- ✓ Patios
- ✓ Pool decks
- ✓ Walkways
- ✓ Garages
- ✓ Driveways
- ✓ Basements

## Benefits



Provides clients with colour and design versatility



Spray applied for easy installation



Ideally suited to acid-stained concrete surfaces



Resists abrasion to avoid chipping, peeling, cracking or fading



Suitable for both in exterior or interior application



Combine with solvent- or water-based sealers for extra protection



Odourless, providing the perfect alternative to traditional acid stains



Safe for application in occupied buildings

## Benefits



Adds rich and vibrant metallic colour to concrete surfaces



Not an acid based product



May be sprayed, brushed, sponged, or roll applied



Colours can be easily blended to create custom shades



Great for polished concrete



6 standard colour shades available



Deep-penetrating colour that won't chip or peel



The surface can be coated several times for a deeper, richer colour

## Vibra-Stain SB



A powdered metallic dye that is specially formulated to be diluted with acetone

Vibra-Stain SB creates a deep-penetrating, semi-transparent colour that can be diluted for different hues, that won't chip or peel when applied to concrete surfaces.

### Application Suitability

- ✓ Polished floors
- ✓ Interior use
- ✓ Restaurants
- ✓ Walkways
- ✓ Retail
- ✓ Hotels
- ✓ Lobbies
- ✓ Conference rooms

## Standard Colours



Mahogany



Espresso



Tuscany



Mocha



Caribe Blue



Charcoal

The applied colours may differ from the examples shown. For a full colour chart and samples, contact your local Flowcrete office.



## EZ Expose



A water-based, concrete surface retarder creating exposed-aggregate finishes with consistency and ease.

EZ Expose is available in two grades that result in different etch levels from a fine sandblast up to a full 3.5cm depth that will expose larger decorative stone.

### Applications

- ✓ Integrally-coloured concrete
- ✓ Decorative exposed aggregate
- ✓ Micro-etch, sandblast effect
- ✓ Embedded exposed crushed shell
- ✓ Flatwork or precast concrete

### Benefits



Pigmented for easy application control



Creates exposed-aggregate finishes consistently and easily



Odourless and water based



May be sprayed or roll applied



Suitable for interior or exterior applications


### Exposure Levels Available



EZ Expose 5



EZ Expose 25



## Flowcrete

World leader in seamless resin flooring solutions and other specialist coatings.

## Europe & Middle East

Baltic States	+48 883 303 880	latvia@flowcrete.com
Bulgaria	+359 898 61 58 31	bulgaria@flowcrete.com
Denmark	+46 435 40 01 10	denmark@flowcrete.com
France	+33 1 60 61 74 42	france@flowcrete.com
Germany	+49 4187 50 29 470	germany@flowcrete.com
Italy	+39 339 4853258	italy@flowcrete.com
Norway	+47 6486 0830	norway@flowcrete.com
Poland	+48 22 879 8907	poland@flowcrete.com
Romania	+40 766 596 991	romania@flowcrete.com
Russia	+7 916 931 35 13	russia@flowcrete.com
Spain	+34 937 07 0872	spain@flowcrete.com
Sweden	+46 435 40 01 10	sweden@flowcrete.com
Turkey	+90 212 294 6567	turkey@flowcrete.com
UAE	+971 4 886 4728	uae@flowcrete.com
UK	+44 1270 753 000	uk@flowcrete.com

## Africa

East Africa	+254 20 682 1011	eastafrika@flowcrete.com
South Africa	+27 31 701 0017	southafrica@flowcrete.com

## India

India	+91 44 4017 6600	india@flowcrete.com
-------	------------------	---------------------

## Asia Pacific

Australia	+61 7 3205 7115	australia@flowcrete.com
Bangladesh	+88 02 985 7222	bangladesh@flowcrete.com
China	+86 10 8472 1912	china@flowcrete.com
Hong Kong	+852 2795 0478	hongkong@flowcrete.com
Indonesia	+62 21 252 3201	indonesia@flowcrete.com
Malaysia	+60 3 6277 9575	malaysia@flowcrete.com
Pakistan	+92 337 3159272	pakistan@flowcrete.com
Philippines	+63 2 834 6506	philippines@flowcrete.com
Singapore	+65 6848 7166	singapore@flowcrete.com
Taiwan	+886 916 954 291	taiwan@flowcrete.com
Thailand	+66 2539 3424	thailand@flowcrete.com
Vietnam	+84 28 6287 0846	vietnam@flowcrete.com

## Americas

Brazil	+55 11 3230 1107	brazil@flowcrete.com
Canada	+1 604 628 1782	canada@flowcrete.com
Chile	+56 2 2938 1962	chile@flowcrete.com
Colombia	+57 1 381 9254	colombia@flowcrete.com
Mexico	+01 800 099 0468	mexico@flowcrete.com
USA	+1 936 539 6700	usa@flowcrete.com

\*Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, Flowcrete reserves the right to change product specifications at any time without prior notice. The photographs and colours reproduced in this publication are within the constraints of the printing process and are not to be used for matching purposes. All photographs are used for approximate representation only and may not show the actual products on offer. E&OE.