



## EXPRESSIONS

- ▶ Contemporary artistic finishes that make a style statement in commercial facilities.

# Expressions Technical Profile

---

Flowcrete's Expressions flooring range offers large-scale commercial and retail clients a unique, one-of-a-kind floor finish that has been designed for high-traffic, high-performance spaces looking to impress underfoot.

The Expressions range evokes cosmopolitan sophistication and artistic expression to create floors that are consistently inconsistent but which artfully interplay a raw industrial aesthetic with a soft and welcoming feel.

The resin systems, based on polyurethane and polyurea technology, are available in a variety of subtle colour ways and with a choice of decorative effects to create a real talking point at ground-level.

Bring an artistic aesthetic into your commercial setting and express your brand personality with Flowcrete's Expressions range.

---

## Application Suitability

Combining the highest artistic design finish with the highest performance properties, the Expressions range is the ideal flooring solution for commercial brands...



Retail Stores & Boutiques



Leisure Facilities



Restaurants & Bars





## Dybets ensomhed

**Dybets mærke**

Et mærke, der viser, at du har diabetes. Det er vigtigt at have et mærke, så du kan få hjælp, hvis du har brug for det.

**Med mig i tåke**

En bog om diabetes og livet med sygdommen. Den giver dig indsigt i, hvordan du kan håndtere diabetes og leve et godt liv.

**Opståelse og forebyggelse**

Opståelse og forebyggelse af diabetes. Læs om de faktorer, der kan påvirke din risiko for at udvikle diabetes, og hvordan du kan forebygge sygdommen.

**Sådan får man diabetes**

Sådan får man diabetes. En oversigt over de forskellige typer af diabetes og hvordan de opstår.

**Diabetes**

Diabetes. En grundlæggende introduktion til sygdommen, dens symptomer og hvordan den behandles.

**Diabetes og livet**

Diabetes og livet. Hvordan diabetes påvirker dit daglige liv og hvordan du kan håndtere det.

**Diabetes og børn**

Diabetes og børn. Information om diabetes hos børn og hvordan du kan hjælpe dit barn med at håndtere sygdommen.

**Diabetes og graviditet**

Diabetes og graviditet. Information om diabetes hos gravide kvinder og hvordan det påvirker graviditeten.



## Performance Benefits

✓	Seamless hygienic finish
✓	Exceptional wear resistance
✓	Easy to clean and maintain
✓	Chemical resistant
✓	Low shrinkage
✓	Durable underfoot
✓	Slip resistant



## Application Suitability

Retail	✓
Restaurants	✓
Bars	✓
Education	✓
Leisure	✓
Hotels	✓
Resorts	✓
Offices	✓

# Metallic Expressions

A highly decorative, hard-wearing advanced polyurea floor finish with a unique deep burnished finish.

Developed as a contemporary solution for a range of commercial applications, the system has highly versatile design potential whilst offering superior performance benefits.



### Attractive:

Decorative metallic finish to transform dull commercial environments.



### Bright Colour Palette:

Available in a range of attractive swatches for a vibrant finish.



### Unique Application:

Versatile design potential achieved using specialist installation techniques.



### Durable:

Exceptional wear resistance for a hard-wearing finish underfoot.



### UV Resistant:

Resistant against colour damage from exposure to sunlight.

## Standard Colours



Grey Goose



Blue Lagoon



Sangria



Merlot



Latte



Cosmo



Coffee



Mojito

## Technical Profile

### SLIP RESISTANCE

TRRL Pendulum Slip Test	Dry >40, Wet depends on specification
-------------------------	---------------------------------------

### TEMPERATURE RESISTANCE

Tolerant of sustained temperatures up to 70°C

### FIRE RESISTANCE

BS 476-7 Surface spread of flame	Class 1
----------------------------------	---------

### ABRASION RESISTANCE

Taber Abrader	50mg loss per 1000 cycles (1kg load using CS17 wheels)
---------------	--

### WATER PERMEABILITY


Karsten Test	Nil (Impermeable)
--------------	-------------------

### BOND STRENGTH

> 1.5 MPa\*

SPEED OF CURE	20°C	35°C
Light Traffic	19 hrs	15 hrs
Full Traffic	24 hrs	20 hrs
Full Chemical Cure	7 days	6 days

\*Assumes concrete compressive strength is greater than 25N/mm<sup>2</sup>



The applied colours may differ from the examples shown. For a full colour chart and samples, contact your local Flowcrete office.

# Urban Expressions (Dual Tone)

A smooth, understated polyurethane floor finish with a unique, artistic, multi-dimensional finish.

The decorative material, which provides clients with a completely seam-free finish that is easy to clean and maintain, is suitable for a range of high-end commercial environments.



### Artistic:

Natural multi-dimensional finish to transform dull environments.



### Unique Application:

Versatile design potential achieved using specialist installation techniques.



### Resistant:

Excellent resistance to chemicals, as well as slips and trips.



### Durable:

Exceptional wear resistance for a hard-wearing finish underfoot.



### Hygienic:

Seamless application that delivers a hygienic, easy-to-clean finish.

## Standard Colours



Smokey Grey



Dusty Grey



Morning Coffee



Old Gold



Midnight Green



Slate Grey

## Technical Profile

### SLIP RESISTANCE

TRRL Pendulum Slip Test	Dry >40, Wet depends on specification
-------------------------	---------------------------------------

### TEMPERATURE RESISTANCE

Tolerant of sustained temperatures up to 60°C

### FIRE RESISTANCE

BS 476-7 Surface spread of flame	Class 2
----------------------------------	---------

### ABRASION RESISTANCE

Taber Abrader	80mg loss per 1000 cycles (1kg load using CS17 wheels)
---------------	--

### WATER PERMEABILITY


Karsten Test	Nil (Impermeable)
--------------	-------------------

### BOND STRENGTH

> 1.5 MPa\*

SPEED OF CURE	10°C	20°C	30°C
Light Traffic	36 hrs	24 hrs	12 hrs
Full Traffic	72 hrs	48 hrs	24 hrs
Full Chemical Cure	12 days	7 days	6 days

\*Assumes concrete compressive strength is greater than 25N/mm<sup>2</sup>







## Application Suitability

Retail	✓
Restaurants	✓
Bars	✓
Education	✓
Leisure	✓
Hotels	✓
Resorts	✓
Offices	✓



# Urban Expressions (Single Tone)

A smooth, minimalistic polyurethane floor finish with a contemporary, multi-dimensional finish.

The artistic finish is suitable for high-end commercial environments such as fashion boutiques, restaurants, bars and other leisure settings looking for a wow-factor underfoot.



### Artistic:

Natural multi-dimensional finish to transform dull environments.



### Unique Application:

Versatile design potential achieved using specialist installation techniques.



### Resistant:

Excellent resistance to chemicals, as well as slips and trips.



### Durable:

Exceptional wear resistance for a hard-wearing finish underfoot.



### Hygienic:

Seamless application that delivers a hygienic, easy-to-clean finish.



## Technical Profile

### SLIP RESISTANCE

TRRL Pendulum Slip Test	Dry >40, Wet depends on specification
-------------------------	---------------------------------------

### TEMPERATURE RESISTANCE

Tolerant of sustained temperatures up to 60°C

### FIRE RESISTANCE

BS 476-7 Surface spread of flame	Class 2
----------------------------------	---------

### ABRASION RESISTANCE

Taber Abrader	80mg loss per 1000 cycles (1kg load using CS17 wheels)
---------------	--

### WATER PERMEABILITY


Karsten Test	Nil (Impermeable)
--------------	-------------------

### BOND STRENGTH


> 1.5 MPa\*

SPEED OF CURE	10°C	20°C	30°C
Light Traffic	36 hrs	24 hrs	12 hrs
Full Traffic	72 hrs	48 hrs	24 hrs
Full Chemical Cure	12 days	7 days	6 days

\*Assumes concrete compressive strength is greater than 25N/mm<sup>2</sup>



The applied colours may differ from the examples shown. For a full colour chart and samples, contact your local Flowcrete office.



## Flowcrete

World leader in seamless resin flooring solutions and other specialist coatings.

### Europe & Middle East

Baltic States	+48 883 303 880	latvia@flowcrete.com
Bulgaria	+359 898 61 58 31	bulgaria@flowcrete.com
Denmark	+46 435 40 01 10	denmark@flowcrete.com
France	+33 1 60 61 74 42	france@flowcrete.com
Germany	+49 4187 50 29 470	germany@flowcrete.com
Italy	+39 339 4853258	italy@flowcrete.com
Norway	+47 6486 0830	norway@flowcrete.com
Poland	+48 22 879 8907	poland@flowcrete.com
Romania	+40 766 596 991	romania@flowcrete.com
Russia	+7 916 931 35 13	russia@flowcrete.com
Spain	+34 937 07 0872	spain@flowcrete.com
Sweden	+46 435 40 01 10	sweden@flowcrete.com
Turkey	+90 212 294 6567	turkey@flowcrete.com
UAE	+971 4 886 4728	uae@flowcrete.com
UK	+44 1270 753 000	uk@flowcrete.com

### Africa

East Africa	+254 20 682 1011	eastafrica@flowcrete.com
South Africa	+27 31 701 0017	southafrica@flowcrete.com

### India

India	+91 44 4017 6600	india@flowcrete.com
-------	------------------	---------------------

### Asia Pacific

Australia	+61 7 3205 7115	australia@flowcrete.com
Bangladesh	+88 02 985 7222	bangladesh@flowcrete.com
China	+86 10 8472 1912	china@flowcrete.com
Hong Kong	+852 2795 0478	hongkong@flowcrete.com
Indonesia	+62 21 252 3201	indonesia@flowcrete.com
Malaysia	+60 3 6277 9575	malaysia@flowcrete.com
Pakistan	+92 337 3159272	pakistan@flowcrete.com
Philippines	+63 2 834 6506	philippines@flowcrete.com
Singapore	+65 6848 7166	singapore@flowcrete.com
Taiwan	+886 916 954 291	taiwan@flowcrete.com
Thailand	+66 2539 3424	thailand@flowcrete.com
Vietnam	+84 28 6287 0846	vietnam@flowcrete.com

### Americas

Brazil	+55 11 3230 1107	brazil@flowcrete.com
Canada	+1 604 628 1782	canada@flowcrete.com
Chile	+56 2 2938 1962	chile@flowcrete.com
Colombia	+57 1 381 9254	colombia@flowcrete.com
Mexico	+01 800 099 0468	mexico@flowcrete.com
USA	+1 936 539 6700	usa@flowcrete.com

\*Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, Flowcrete reserves the right to change product specifications at any time without prior notice. The photographs and colours reproduced in this publication are within the constraints of the printing process and are not to be used for matching purposes. All photographs are used for approximate representation only and may not show the actual products on offer. E&OE.